

# Comparison of Protein Sequences

hbcl-w	MATPASAPDT	RALVADEFVGY	KLRQKGYVCG	AGPGEGPAAD	PLHQAMRAAG	50
mbcl-w	.....T...	.....A.....	.....	.....	.....	
hbcl-y	.....A...	.....E.....	.....	.....	.....	
rbcl-y	.....T...	.....A.....	.....	.....	.....	

hbcl-w	DEFETRFRRT	FSDLAAQLHV	TPGSAQQRFT	QVSDELFQGG	PNWGRLVAFF	100
mbcl-w	.....	.....	.....	.....	.....	
hbcl-y	.....	.....	.....	.....	.....	
rbcl-y	.....	.....	.....	.....	.....	

hbcl-w	VFGAALCAES	VNKEMEPLVG	QVQEWVAYL	ETRLADWIHS	SGGWAEFTAL	150
mbcl-w	.....	.....	...D...A..	.....	.....	
hbcl-y	.....	.....	...E...A..	.....	.....	
rbcl-y	.....	.....	...D...T..	.....	.....	

hbcl-w	YGDGALEEAR	RLREGNWASV	RTVLTGAVAL	GALVTVGAF	ASK	193
mbcl-w	.....	.....	.....	.....	.....	
hbcl-y	.....	.....	.....	.....	.....	
rbcl-y	.....	.....	.....	.....	.....	

# Comparison of Nucleotide Sequences

Human bcl-w (SEQ ID NO: 6)

Human bcl-y (SEQ ID NO: 2 of the '201 Patent)

Rat bcl-y (SEQ ID NO: 1 of the '201 Patent)

hbcl-w	atg gcg acc cca gcc t	cg gcc cca gac aca cgg gct ctg gtg gca gac	48
hbcl-y			
rbcl-y	a a	a t	
hbcl-w	ttt gta ggt tat aag	ctg agg cag aag ggt tat gtc tgt gga gct ggc	96
hbcl-y			
rbcl-y	c	a	
hbcl-w	ccc ggg gag ggc cca	gca gct gac ccg ctg cac caa gcc atg cgg gca	144
hbcl-y			
rbcl-y	t a	a	
hbcl-w	gct gga gat gag ttc	gag acc cgc ttc cgg cgc acc ttc tct gat ctg	192
hbcl-y			
rbcl-y	c	t	c
hbcl-w	gcg gct cag ctg	cat gtg acc cca ggc tca gcc cag caa cgc ttc acc	240
hbcl-y			
rbcl-y	c	a c	a
hbcl-w	cag gtc tcc gac	gaa ctt ttt caa ggg ggc ccc aac tgg ggc cgc ctt	288
hbcl-y			
rbcl-y	t	c	t
hbcl-w	gta gcc ttc ttt gtc ttt	ggg gct gca ctg tgt gct gag agt gtc aac	336
hbcl-y			
rbcl-y	g a	c	
hbcl-w	aag gag atg gaa cca	ctg gtg gga caa gtg cag gag tgg atg gtg gcc	384
hbcl-y			
rbcl-y	a a	g t	t a
hbcl-w	tac ctg gag acg cgg	ctg gct gac tgg atc cac agc agt ggg ggc tgg	432
hbcl-y			
rbcl-y		a c t	
hbcl-w	gcg gag ttc aca gct	cta tac ggg gac ggg gcc ctg gag gag gcg cgg	480
hbcl-y			
rbcl-y		a	
hbcl-w	cgt ctg cgg gag ggg	aac tgg gca tca gtg agg aca gtg ctg acg ggg	528
hbcl-y			
rbcl-y			
hbcl-w	gcc gtg gca ctg ggg	gcc ctg gta act gta ggg gcc ttt ttt gct agc	576
hbcl-y			
rbcl-y	t		
hbcl-w	aag tgaa		583
hbcl-y			
rbcl-y			

# Comparison of Nucleotide Sequences

Murine bcl-w (SEQ ID NO: 6)

Human bcl-y (SEQ ID NO: 2 of the '201 Patent)

Rat bcl-y (SEQ ID NO: 1 of the '201 Patent)

mbcl-w	atg gcg acc cca gcc tca acc cca gac aca cgg gct cta gtg gct gac	48
hbcl-y	g g g aa	
rbcl-y		
mbcl-w	ttt gta ggc tat agc ctg agg cag aag ggt tat gtc tgt gga gct ggc	96
hbcl-y	t a a	
rbcl-y	a a	
mbcl-w	cct ggg gaa ggc cca gcc gcc gac ccg ctg cac caa gcc atg cgg gct	144
hbcl-y	c g a t a a	
rbcl-y	a a	
mbcl-w	gct gga gac gag ttt gag acc cgt ttc cgc cgc acc ttc tct gac ctg	192
hbcl-y	t c c g g t	
rbcl-y	c g	
mbcl-w	gcc gct cag cta cac gtg acc cca ggc tca gcc cag caa cgc ttc acc	240
hbcl-y	g g t a	
rbcl-y		
mbcl-w	cag gtt tcc gac gaa ctt ttc caa ggg ggc cct aac tgg ggc cgt ctt	288
hbcl-y	c t c c c	
rbcl-y		
mbcl-w	gtg gca ttc ttt gtc ttt ggg gct gcc ctg tgt gct gag agt gtc aac	336
hbcl-y	aa c a	
rbcl-y		
mbcl-w	aaa gaa atg gag cct ttg gtg gga caa gtg cag gat tgg atg gtg gcc	384
hbcl-y	g g a a c g	
rbcl-y	a a	
mbcl-w	tac ctg gag aca cgt ctg gct gac tgg atc cac agc agt ggc ggc tgg	432
hbcl-y	g g g g	
rbcl-y	c t g	
mbcl-w	gcg gag ttc aca gct cta tac ggg gac ggg gcc ctg gag gag gca cgg	480
hbcl-y		
rbcl-y	g	
mbcl-w	cgt ctg cgg gag ggg aac tgg gca tca gtg agg aca gtg ctg acg ggg	528
hbcl-y		
rbcl-y		
mbcl-w	gcc gtg gca ctg ggg gcc ctg gta act gta ggg gcc ttt ttt gct agc	576
hbcl-y		
rbcl-y	t	
mbcl-w	aag tga	582
hbcl-y		
rbcl-y		